



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/265,073	03/09/1999	DAVID K. OVARD	M140-179	4081
21567	7590	10/22/2003	EXAMINER	
WELLS ST. JOHN P.S. 601 W. FIRST AVENUE, SUITE 1300 SPOKANE, WA 99201			SHIMIZU, MATSUICHIRO	
		ART UNIT	PAPER NUMBER	
		2635	13	
DATE MAILED: 10/22/2003				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	09/265,073	OVARD ET AL.
	Examiner	Art Unit
	Matsuichiro Shimizu	2635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 15 August 2003.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-42, 46 and 49-57 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1-42, 46 and 49-57 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

11) The proposed drawing correction filed on _____ is: a) approved b) disapproved by the Examiner.

If approved, corrected drawings are required in reply to this Office action.

12) The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:

1. Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No. _____.

3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).

a) The translation of the foreign language provisional application has been received.

15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

1) <input type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____.
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.	6) <input type="checkbox"/> Other: _____

Response to Amendment

The examiner acknowledges amended claims 20, 46, and new claims 51-57.

The examiner approves the amended abstract within the range of 50 to 150 words.

Response to Arguments

Applicant's arguments with respect to claims 51-57 have been considered but are moot in view of the new grounds of rejection.

Applicant's arguments filed on 8/15/2003 have been fully considered but they are not persuasive.

Regarding applicant's argument (line 11, page 16 to line 3, page 22; line 19, page 24 to line 15, page 26), the examiner maintains that Wood in view of MacLellan teaches an interrogator of a wireless communication system (Wood-col. 3, lines 53-60, wireless communication system) comprising: an interrogator (Wood-col. 5, lines 25-27, the host computer acting as a master or interrogator) including: a housing (Wood-col. 5, lines 34-38, common housing) including circuitry configured to generate a forward link communication signal (Wood-col. 5, lines 30-33 and lines 45-47, forward link command (or function) generated at the host computer acting as master or interrogator); communication circuitry configured to communicate the forward link

communication signal (Wood—Fig. 5, col. 12, lines 28–44, RF circuitry) and to radiate a forward link wireless signal corresponding to the forward link communication signal (Wood—Fig. 5, col. 12, lines 28–44, antennas – X1 and X2); and wherein the circuitry of the housing comprises a transmitter configured to generate the forward link communication signal comprising a modulated signal (Cuckler—teaches, in the art of remote communication system, base or repeater station generating the forward link communication signal comprising a modulated signal (Figs. 1, 3, col. 6, lines 41–52, modulated pulse signal forwarded via antenna 12 to antenna 13)) to extend the range of communication with the tag or transponder. That is; Wood teaches housing with host computer (48) and interrogator unit (26) associated with communication circuitry and MacLellan teaches remote interrogator station remote from master interrogator or application processor (101) associated with central interrogator and communication circuitry in the housing, and Cuckler—teaches base or repeater station generating the forward link communication signal comprising a modulated signal, and these prior art references address the common arts pertinent to forward remote communication system. Therefore, they are combinable to teach subject matters claimed.

Regarding applicant's argument (lines 6–18, page 22), the examiner maintains that Wood in view of MacLellan teaches adjustment of the electrical characteristics

(Wood-amplifier 79 in the interrogator and MacLellan- communication station associated with interrogator) in the communication station in view of combinability of references.

Regarding applicant's argument (line 9, page 23 to line 2, page 24), the examiner maintains that Wood (Fig. 4, spread spectrum processing 40) and Lomp (Fig. 14, spreaders coupled to output of PN generator) teach spread spectrum processing, and references are combinable to teach AGC circuitry for power control (Lomp).

Regarding applicant's argument (lines 3–7, page 24), the examiner maintains that Wood in view of MacLellan teaches adjustment of the electrical characteristics (Wood-power amplifier 79 in the interrogator and MacLellan- communication station associated with interrogator) in the communication station in view of combinability of references.

Regarding applicant's argument (lines 8–18, page 24), the examiner maintains that Bassirat teaches RF coaxial cable (col. Lines 11–15, coaxial cable within the RF spectrum), and prior references are combinable within the spread spectrum processing environment.

Therefore, rejection of claims 1–42, 46 and 49–57 follows:

Claim Rejections – 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-3, 6-8, 11-13, 16-22, 24-25, 27-29, 33-37, 41-42, 51-53 and 55-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wood, Jr. (5,842,118) in view of MacLellan et al. (5,649,296) and Cuckler et al. (3,733,602).

Regarding claim 1, Wood discloses an interrogator of a wireless communication system (col. 3, lines 53-60, wireless communication system) comprising: an interrogator (col. 5, lines 25-27, the host computer acting as a master or interrogator) including: a housing (col. 5, lines 34-38, common housing) including circuitry configured to generate a forward link communication signal (col. 5, lines 30-33 and lines 45-47, forward link command (or function) generated at the host computer acting as master or interrogator); communication circuitry configured to communicate the forward link communication signal (Fig. 5, col. 12, lines 28-44, RF circuitry) and to radiate a forward link wireless signal corresponding to the forward link communication signal (Fig. 5, col. 12, lines 28-44, antennas - X1 and X2); and a remote communication device (col. 3, lines 53 to col. 4, line 16, device or transponder (16)); and wherein the circuitry of the housing comprises a transmitter configured to generate the forward link communication signal (Fig. 5, digitally transmitted data signal via host computer). But Wood does not disclose a communication station remotely located with respect to the housing, and generating the forward link communication signal comprising a modulated signal.

However, MacLellan discloses, in the art of tag identification system, a communication station remotely located with respect to the housing (Fig. 1,

interrogator (103) remotely connected via LAN (102) to extend the range of communication with the tag or transponder. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include a communication station remotely located with respect to the housing in the device of Wood as evidenced by MacLellan because Wood suggests power adjustment to communicate the remote device (col. 6, lines 30-42, power adjustable) and MacLellan teaches a communication station to communicate the remote device to extend the range of communication.

Likewise, Cuckler, teaches, in the art of remote communication system, base or repeater station generating the forward link communication signal comprising a modulated signal (Figs. 1, 3, col. 6, lines 41-52, modulated pulse signal forwarded via antenna 12 to antenna 13) for the purpose of extending the range of communication. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include base or repeater station generating the forward link communication signal comprising a modulated signal in the device of Wood as evidenced by Cuckler because Wood suggests a transmitter configured to generate the forward link communication signal and Cuckler teaches base or repeater station

generating the forward link communication signal comprising a modulated signal for the purpose of extending the range of communication.

Regarding claim 2, Wood continues, as disclosed in claim 1, to disclose a driver amplifier to increase the power of the forward link communication signal (Fig. 7, preamplifier (79); col. 6, lines 30-42, power adjustable).

Regarding claim 3, Wood continues, as disclosed in claim 1, to disclose the communication station including the adjustment of an electrical characteristic of the forward link communication signal (Fig. 7, preamplifier (79); col. 6, lines 30-42, power adjustable).

All subject matters except a power amplifier in claim 6 are disclosed in claims 1 and 3. However, Wood discloses a power amplifier (Wood-Fig. 7, preamplifier (79)), and therefore, rejections of all subject matters expressed in claim 6 are met by references and associated arguments applied to rejections of claims 1 and 3, and the above disclosure of Wood.

Regarding claim 7, Wood continues, as claimed in claim 6, to disclose communication station including an antenna to receive and radiate (Fig. 1, col. 5, lines 53-61, the device 12 as a cellular telephone associated base stations or communication stations or interrogators).

Regarding claim 8, Wood continues, as disclosed in claim 1, to disclose a radio frequency identification device (col. 4, lines 19–26, RF identification badge).

All subject matters in claims 11–13 and 16–20 are disclosed in claims 1–3 and 6–10 and therefore, rejections of all subject matters expressed in claims 11–13 and 16–20 are met by references and associated arguments applied to rejections of claims 1–3 and 6–10.

Regarding claim 21, Wood discloses an interrogator of a wireless communication system (col. 3, lines 53–60, wireless communication system) comprising: a housing (col. 5, lines 34–38, common housing) including circuitry configured to generate a forward link communication signal (col. 5, lines 30–33 and lines 45–47, forward link command (or function) generated at the host computer acting as master or interrogator); and wherein the circuitry of the housing comprises a transmitter configured to generate the forward link communication signal comprising a modulated signal (Fig. 5, digital transmit data or modulated signal via host computer, that is; signal transmitted by the host computer is digital signal modulating the continuous frequency generated by the frequency oscillator in the computer). But Wood does not disclose a plurality of forward link communication signals and a plurality of communication stations remotely located with respect to the housing; and

station generating the forward link communication signal comprising a modulated signal.

However, MacLellan discloses, in the art of tag identification system, a plurality of forward link communication signals and a plurality of communication stations remotely located with respect to the housing (Fig. 1, interrogators (103) (or remote stations); multiple signals on interrogators) remotely connected via LAN (102)) to extend the range of communication with the tags or transponders. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include a plurality of forward link communication signals and a plurality of communication stations remotely located with respect to the housing in the device of Wood as evidenced by MacLellan because Wood suggests power adjustment to communicate the remote device (col. 6, lines 30-42, power adjustable) and MacLellan teaches a plurality of forward link communication signals and a plurality of communication stations remotely located with respect to the housing to extend the range of communication with the tags or transponders.

Likewise, Cuckler teaches, in the art of remote communication system, base or repeater station generating the forward link communication signal comprising a modulated signal (Figs. 1, 3, col. 6, lines 41-52, modulated pulse signal forwarded via

antenna 12 to antenna 13) for the purpose of extending the range of communication. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include base or repeater station generating the forward link communication signal comprising a modulated signal in the device of Wood as evidenced by Cuckler because Wood suggests a transmitter configured to generate the forward link communication signal and Cuckler teaches base or repeater station generating the forward link communication signal comprising a modulated signal for the purpose of extending the range of communication.

All subject matters in claim 22 is disclosed in claim 7 and therefore, rejections of all subject matters expressed in claim 22 is met by references and associated arguments applied to rejections of claim 7.

Regarding claim 24, Wood discloses an interrogator of a wireless communication system (col. 3, lines 53–60, wireless communication system). But Wood is silent on communication circuit configured to communicate one forward link communication signal intermediate the housing and communication station.

However, MacLellan discloses, in the art of tag identification system, communication circuit configured to communicate one forward link communication signal intermediate the housing and communication station (Fig. 1, LAN (102) circuit is

analogous to intermediate communication circuit) to extend the range of communication with the tags or transponders. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include communication circuit configured to communicate one forward link communication signal intermediate the housing and communication station in the device of Wood as evidenced by MacLellan because Wood suggests power adjustment to communicate the remote device (col. 6, lines 30–42, power adjustable) and MacLellan teaches communication circuit configured to communicate one forward link communication signal intermediate the housing and communication station to extend the range of communication with the tags or transponders.

Regarding claim 25, Wood In view of MacLellan discloses an interrogator according to claim 21 is a wireless communication system (Wood–col. 3, lines 53–60, wireless communication system); and the interrogator wherein the communication stations (MacLellan–Fig. 2, power associated with radio signal sources for plural interrogator stations 103...103 + N) are individually positioned to radiate the forward link wireless signal within one of a plurality of communication ranges (Wood–col. 6, lines 30–42, power adjustable device provide different ranges according to sensitivity of tag location).

Claims 27-29 and 33-34 recite a method of operation corresponding to wireless communication systems, interrogators and methods of communicating within a wireless communication system of claims 1-3, 6 and 8. The method claimed is obvious in that it parallels the implementation of wireless communication systems, interrogators and methods of communicating within a wireless communication system indicated in claims 1-3, 6 and 8 in performing each of the functional operations of wireless communication systems, interrogators and methods of communicating within a wireless communication system. Accordingly, the inventive embodiments set forth in Claims 27-29 and 33-34 are met by the references and associated arguments as set forth above and incorporated herein. Therefore, it is considered that rejection of the limitations expressed in claims 27-29 and 33-34 would have been obvious to the artisan of ordinary skill at the time of the invention for the reasons given in the rejection of claims 1-3, 6 and 8.

Claims 35-37 and 41 recite a method of operation corresponding to wireless communication systems, interrogators and methods of communicating within a wireless communication system of claims 11-13 and 16. The method claimed is obvious in that it parallels the implementation of wireless communication systems, interrogators and methods of communicating within a wireless communication system

indicated in claims 11-13 and 16 in performing each of the functional operations of wireless communication systems, interrogators and methods of communicating within a wireless communication system. Accordingly, the inventive embodiments set forth in Claims 35-37 and 41 are met by the references and associated arguments as set forth above and incorporated herein. Therefore, it is considered that rejection of the limitations expressed in Claims 35-37 and 41 would have been obvious to the artisan of ordinary skill at the time of the invention for the reasons given in the rejection of claims 11-13 and 16.

Claim 42 recites a method of operation corresponding to wireless communication systems, interrogators and methods of communicating within a wireless communication system of claims 11, 21 and 25. The method claimed is obvious in that it parallels the implementation of wireless communication systems, interrogators and methods of communicating within a wireless communication system indicated in claims 11, 21 and 25 in performing each of the functional operations of wireless communication systems, interrogators and methods of communicating within a wireless communication system. Accordingly, the inventive embodiments set forth in claim 42 are met by the references and associated arguments as set forth above and incorporated herein. Therefore, it is considered that rejection of the limitations

Regarding claim 55, MacLellan teaches the method according to claim 35 wherein the radiating comprises converting the forward link communication signal comprising the modulated signal from a first communication medium type (Figs. 1–3, first modulated signal within 101–103 circuits (wired circuits)) to a second communication medium type (Figs. 1–3, second modulated signal out of 204) comprising a wireless medium and different than the first communication medium type.

Regarding claim 56, MacLellan teaches the method according to claim 55 wherein the first communication 'Medium type comprises a wired medium (Figs. 1–3, first modulated signal within 101–103 circuits (wired circuits)).

Regarding claim 57, MacLellan teaches the method according to claim 35 wherein the communicating comprises communicating the forward link wireless signal comprising the modulated signal from the housing using a wired medium (Figs. 1–3, first modulated signal within 101–102 and communication stations 103 (wired LAN circuits); digital signal out of computer).

Claims 9–10 and 49–50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wood in view of MacLellan and Cuckler as applied to claim 1 above, and further in view of Bassirat (6,353,729).

Regarding claim 9, Wood in view of MacLellan and Cuckler teaches wired LAN system to interrogators (MacLellan–Fig. 1, interrogator as communication station 103). But Wood in view of MacLellan and Cuckler is silent on a coaxial RF cable associated with communication station

However, Bassirat teaches, in the art of network communication system, a coaxial RF cable associated with repeater station (col. 9, lines 11–18, coaxial cable associated with RF wherein the cable is used to extend the computer network via the repeater, and LAN is one of computer network architecture) for the purpose of extending the communication range. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include a coaxial RF cable in the device of Wood in view of MacLellan and Cuckler as evidenced by Bassirat because Wood in view of MacLellan and Cuckler suggests wired communication system associated with LAN system and Bassirat teaches a coaxial RF cable associated with communication station for the purpose of extending the communication range.

Regarding claim 10, Wood in view of MacLellan and Cuckler discloses wireless LAN system to interrogators (MacLellan–Fig. 1, interrogator as communication station 103: Cuckler–Figs. 1 and 3, interrogator) as well as plural transceivers (Wood–col. 13,

lines 44-50, plural wireless receiver and transmitter or transceivers via common antennas; Cuckler - Fig. 3, wireless interrogator).

Furthermore, Bassirat teaches, in the art of network communication system, a plurality of transceivers associated with repeater station (Fig. 5, plural transceivers associated with antennas having Gar and Gaff) for the purpose of extending the communication range. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include a plurality of transceivers in the device of Wood in view of MacLellan and Cuckler as evidenced by Bassirat because Wood in view of MacLellan and Cuckler suggests wired communication system associated with LAN system and Bassirat teaches a plurality of transceivers associated with communication station for the purpose of extending the communication range.

All subject matters in claim 49 are disclosed in claims 1 and 9, and therefore rejection of the subject matters expressed in claim 49 are met by references and associated arguments applied to rejection of claims 1 and 9.

All subject matters in claim 50 are disclosed in claims 1 and 10, and therefore rejection of the subject matters expressed in claim 50 are met by references and associated arguments applied to rejection of claims 1 and 10.

Claims 4-5, 14-15, 23, 26, 30-32, 38-40, 46 and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wood in view of MacLellan and Cuckler as applied to claims 1 and 3 above, and further in view of Lomp et al. (5,799,010).

Regarding claim 4, Wood continues, as disclosed in claim 3, to disclose the adjustment of electrical characteristics. But Wood in view of MacLellan does not disclose the adjustment circuitry comprises automatic gain control circuitry.

However, Lomp discloses, in the art of communication system, the adjustment circuitry comprises automatic gain control circuitry (Figs. 29-30, col. 66, lines 44-65, AGC) for the purpose of power control of subscriber unit and base stations.

Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include the adjustment circuitry comprises automatic gain control circuitry in the device of Wood in view of MacLellan and Cuckler as evidenced by Lomp because Wood in view of MacLellan and Cuckler suggests the adjustment of electrical characteristics and Lomp teaches the adjustment circuitry comprises automatic gain control circuitry for the purpose of power control of subscriber unit and base stations.

Regarding claim 5, Lomp continues, as disclosed in claim 4, to disclose the automatic gain control circuitry is configured to monitor the power and adjust the

power (Figs. 29–30, power control system or monitoring system, col. 66, lines 44–65, AGC).

All subject matters in claims 14 are disclosed in claims 1 and 4 and therefore, rejections of all subject matters expressed in claims 14 are met by references and associated arguments applied to rejections of claims 1 and 4.

All subject matters in claims 15 are disclosed in claims 1 and 4–5 and therefore, rejections of all subject matters expressed in claims 15 are met by references and associated arguments applied to rejections of claims 1 and 4–5.

All subject matters in claim 23 are disclosed in claims 4 and 22 and therefore, rejections of all subject matters expressed in claim 23 are met by references and associated arguments applied to rejections of claims 4 and 22.

All subject matters in claims 26 are disclosed in claims 1–2 and 4–8 and therefore, rejections of all subject matters expressed in claims 26 are met by references and associated arguments applied to rejections of claims 1–2 and 4–8.

Claims 30–32 recite a method of operation corresponding to wireless communication systems, interrogators and methods of communicating within a wireless communication system of claims 1 and 4–5. The method claimed is obvious in that it parallels the implementation of wireless communication systems,

interrogators and methods of communicating within a wireless communication system indicated in claims 1 and 4-5 in performing each of the functional operations of wireless communication systems, interrogators and methods of communicating within a wireless communication system. Accordingly, the inventive embodiments set forth in Claims 30-32 are met by the references and associated arguments as set forth above and incorporated herein. Therefore, it is considered that rejection of the limitations expressed in Claims 30-32 would have been obvious to the artisan of ordinary skill at the time of the invention for the reasons given in the rejection of claims 1 and 4-5.

Claims 38-40 recite a method of operation corresponding to wireless communication systems, interrogators and methods of communicating within a wireless communication system of claims 14-15. The method claimed is obvious in that it parallels the implementation of wireless communication systems, interrogators and methods of communicating within a wireless communication system indicated in claims 14-15 in performing each of the functional operations of wireless communication systems, interrogators and methods of communicating within a wireless communication system. Accordingly, the inventive embodiments set forth in Claims 38-40 are met by the references and associated arguments as set forth above and incorporated herein. Therefore, it is considered that rejection of the limitations

expressed in Claims 38–40 would have been obvious to the artisan of ordinary skill at the time of the invention for the reasons given in the rejection of claims 14–15.

All subject matters in claim 46 are disclosed in claim 26 and therefore, rejections of all subject matters expressed in claim 46 are met by references and associated arguments applied to rejections of claim 26.

Regarding claim 54, Lomp teaches the wireless communication system according to claim 4 wherein the automatic gain control circuitry is configured to adjust the electrical characteristic of the forward link communication signal comprising the modulated signal which comprises a wired signal (Figs. 29–30, power control system or monitoring system of wired signal, col. 66, lines 44–65, AGC).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Freeze et al., Centralized Transponder Arbitration, US 6,313,737, 11/6/2001.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matsuichiro Shimizu whose telephone number is (703) 306-5841. The examiner can normally be reached on Monday through Friday from 8:00 AM to 4:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Micheal Horabik, can be reached on (703-305-4704). The fax phone number for the organization where this application or proceeding is assigned is (703-305-3988).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703-305-8576).

Matsuichiro Shimizu



October 18, 2003

MICHAEL HORABIK
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600





Creation date: 10-08-2004

Indexing Officer: IMULAMBA - ISIDORE MULAMBA

Team: OIPEBackFileIndexing

Dossier: 09265073

Legal Date: 02-23-2004

No.	Doccode	Number of pages
1	A...	1
2	CLM	16
3	REM	9
4	XT/	1
5	RCEX	1
6	LET.	2

Total number of pages: 30

Remarks:

Order of re-scan issued on